



# 65

χρόνια

σεβασμό στον μάστορα

δομικά υλικά

construction materials



Technical Specifications

Date of issue: 13/06/2013

Version Number: 4<sup>th</sup>

## Atlastick no40

### Liquid paper adhesive – Clear



#### Available Packaging

5/1

20/1

#### Safety information

Read the label before use. For detailed instructions - precautions, consult the Product Safety Data Sheet. Poison Information Centre: (+30) 210 77 93 777.

#### Description

Atlastick No. 40 is a high quality thermoplastic adhesive, based on a water soluble Vinyl acetate and ethylene dispersion, specially formulated for paper. Ideal for gluing labels or varnished papers on hard or soft PVC, polystyrene, styrofoam, wood or nylon.

#### Application Instructions

Apply Atlastick No. 40 by brush or by cylinder ONLY in one of the surfaces that you need to bond preferably in the less porous surface and within 5 minutes (open time) bring both surfaces in contact. Press for 10-15 minutes. Optimum bonding has been achieved after 24 hours at 20° C.

#### Properties

**Form:** White, becomes transparent when dry

**Base:** Water – based PVA Dispersion

**Application Temperature:** From +8°C to +35°C

**Odor:** Almost odorless

**Specific Gravity:** 1.04 ± 0.02 kg/L

**Viscosity:** 50 ± 10 poise

**Shear Strength:** 3.5 N/mm<sup>2</sup> after 48 hours  
(measured on softwood)

#### Storage

At least 12 months if the product is kept in sealed drums, in dry and cool storage conditions at temperatures range +8°C to +35°C



The technical information and instructions supplied in this data sheet are based on our knowledge and experience. The recommendations and suggestions referring to the use of the product are provided without guarantee, since site conditions during the application are beyond the control of our company. Therefore the user is responsible for confirming that the chosen product is suitable for the envisaged application. Our company designs and produces products intended to satisfy your needs. Please do not hesitate to contact us, if you encounter any technical problem.

Σελίδα 1 από 1 / Page 1 from 1